



Project Nile:

Improved Hydrometeorological Information for the Countries of the Nile Basin

Ben Zaitchik – Johns Hopkins University
Shahid Habib – NASA GSFC
Martha Anderson – USDA HRSL
Mutlu Ozdogan – Univ. of Wisconsin
Operatoinal Partners: USAID, RCMRD, NBI-ENTRO

The Nile Basin

- 3.35 million km²
- Climates range from humid tropical to hyper-arid
- Annual flow at Aswan: 84
 BCM
- Large seasonal and interannual climate variability
- ~200 million people, 50% below the poverty line
- 11 countries




NASA's Project Nile

<u>Goal</u>: improved hydrometeorological information for research, planning, and water management


Components:

- Land cover mapping and simulation
- Satellite-derived evapotranspiration
- 3. Optimized models for hydrological analysis
- Integration to Decision Support



MODIS Land Cover Mapping


All land cover types




Irrigated areas




ALEXI Satellite-based ET






- Meteosat analysis at 3km resolution, daily
- MODIS thermal bands to downscale to 1km
- Further downscaling possible with Landsat and ASTER




The Nile Land Data Assimilation System







Land Surface Model






SM ET


LDAS Output




Meteorological Data



ALEXI vs. Nile LDAS ET



Applications: Monitoring Irrigation Water Use



ALEXI and DAS

usually ree, and

LDAS & h fill data


Models that lack realistic irrigation maps and routines missed ET fromher satellite algorithms LEXI agriculture


that have not been systematically evaluated in this region may require further calibration

This disagreement between LDAS and ALEXI helped us to identify and fix a problem in 2010 Meteosat data

Applications: Drought Monitoring









Applications: Evaluating Food Security

Nile LDAS downscaled meteorology and model outputs are applied to statistical crop yield models



Applications: Evaluating Food Security

Nile LDAS downscaled meteorology and model outputs are applied to statistical crop yield models



Accomplishments

- Preliminary irrigation maps, ALEXI products, and LDAS output complete and transferred
- Annual workshops held in first three project years.
- Evaluation of research products ongoing
- Project techniques applied to new UNDP and NSF projects
- Results reported in peerreviewed publications and reports by partner agencies

Challenges

- Political and financial uncertainty for regional partners
- Mission creep
- Paucity of in situ evaluation data
- Ensuring project continuity

THANK YOU